



CEMENT & CONCRETE PRODUCTS™

A10: Water Based Products

SAFETY DATA SHEET
(Complies with OSHA 29 CFR 1910.1200)

SECTION I: PRODUCT IDENTIFICATION

The QUIKRETE® Companies
5 Concourse Parkway, Suite 1900
Atlanta, GA 30328

Emergency Telephone Number
INFOTRAC (800) 535-5053
Information Telephone Number
(800) 282-5828

SDS A10
Revision: Feb-23

QUIKRETE® Product Name
FIREPLACE MORTAR

Code #
8620

Product Use: Silicate based refractory cement

See most current revision of this document at www.QUIKRETE.com.

SECTION II - HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Corrosion – Category 1B
Specific Target Organ Toxicity – Repeated Exposure – Category 2
Acute Oral Toxicity – Category 4

2.2a Signal word DANGER

2.2b Hazard Statements

Causes severe skin burns and serious eye damage
May cause respiratory irritation
Harmful if swallowed

2.2c Pictograms

QUIKRETE[®]**CEMENT & CONCRETE PRODUCTS™****2.2d Precautionary statements**

Do not handle until all safety precautions have been read and understood.

Wear impervious gloves, such as nitrile or neoprene, and eye protection/clothing.

Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Use only in a well-ventilated area.

Do not breathe dust / vapors / fumes

Keep in original container. Absorb spills to prevent material damage. Store in corrosive resistant container with a resistant inner liner.

If on skin (or hair): Immediately take off all contaminated clothing and wash before reuse. Rinse skin or hair with water.

If in eyes: Rinse cautiously with water for several minutes; remove contact lenses if easy to do; continue rinsing.

If swallowed: Rinse mouth; do NOT induce vomiting. Immediately seek medical advice or attention.

Immediately seek medical advice or attention if symptoms are significant or persist.

Dispose of contents and container in accordance with all regulations.

2.3 Additional Information

2.3A HNOC – Hazards not otherwise classified: Not applicable

2.3B Unknown Acute Toxicity: None

SECTION III - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

<u>Hazardous Components</u>	<u>CAS No.</u>	<u>% by Weight</u>
Kaolin Clay	1332-58-7	40-50
Sodium Silicate	1344-09-8	40-50
Water	7732-18-5	10-30
Calcium Metasilicate	13983-17-0	5-10
Sodium Hydroxide	1310-73-2	0-2

Composition ranges provided due to batch-to-batch variability.

None of the constituents of this product are of unknown toxicity.



CEMENT & CONCRETE PRODUCTS™

SECTION IV – FIRST AID MEASURES

General information:

Immediately remove any clothing soiled by the product.

After inhalation: Remove person to fresh air and keep comfortable for breathing.

After skin contact: Immediately take off all contaminated clothing and wash before reuse. Rinse skin or hair with water.

After eye contact: Rinse cautiously with water for several minutes; remove contact lenses if easy to do; continue rinsing. Call a doctor immediately.

After swallowing: DO NOT induce vomiting. Never give anything by mouth to an unconscious person.

Acute/Delayed Symptoms: Immediately seek medical advice or attention if symptoms are significant or persist.

SECTION V - FIRE FIGHTING MEASURES

5.1 Flammability of the Product: Non-flammable and non-combustible

5.2 Suitable extinguishing agents: Treat for surrounding material

5.3 Special hazards arising from the substance or mixture: None

5.3a Products of Combustion: None

5.3b Explosion Hazards in Presence of Various Substances: Non-explosive in presence of shocks

SECTION VI – ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures: Wear personal protective equipment (See section VIII). Keep unprotected persons away.

6.2 Methods and material for containment and cleaning up:

Do not allow to enter sewers/ surface or ground water. Dispose of unwanted materials and containers properly in accordance with all regulations.

SECTION VIII – EXPOSURE CONTROL MEASURES / PERSONAL PROTECTION

8.1 Components with limit values that require monitoring at the workplace:

Hazardous Components	CAS No.	PEL (OSHA) mg/M ³	TLV (ACGIH) mg/M ³
None			

SDS A10

QUIKRETE Companies, LLC

2/10/2023



CEMENT & CONCRETE PRODUCTS™

8.2 Exposure Controls

Use ventilation adequate to keep exposures below recommended exposure limits.

8.3 General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. This product will etch glass, enamel, aluminum, and some other metals.

8.3a Personal protective equipment

Protection of hands:

Wear gloves of adequate length to offer appropriate skin protection from splashes. Nitrile, Butyl and PVC gloves have been found to offer adequate protection for incidental contact.

Eye protection:

Wear approved eye protection (properly fitted dust- or splash-proof chemical safety glasses).

Respiratory protection:

Not required under normal conditions of use.

SECTION IX - PHYSICAL/CHEMICAL CHARACTERISTICS

General Information

Appearance

Form: Paste
Color: Black, Buff, Gray
Odor: Vinyl Acetate

pH-value at 20°C (68 °F): Not Available

Boiling point/Boiling range: Not Applicable

Auto igniting: Product is not self-igniting.

Vapor pressure at 21°C (70°F) Not Applicable

Density at 25°C (77 °F): 1.8

Solubility in / Miscibility with

Water: Partially soluble until heat cured

VOC content: 0 g/L VOC

SECTION X – STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability


CEMENT & CONCRETE PRODUCTS™

Stable under normal storage conditions. Keep in dry storage.

10.3 Possibility of hazardous reaction

No dangerous reaction known under conditions of normal use.

10.4 Thermal decomposition / conditions to be avoided

No decomposition if used according to specifications.

10.5 Incompatible materials

Product will etch glass

10.6 Hazardous Decomposition or By-products

None known

SECTION XI – TOXICOLOGICAL INFORMATION

11.1 Exposure Routes: Skin contact, eye contact, inhalation or ingestion.

11.2 Symptoms related to physical/chemical/toxicological characteristics:

Inhalation: May cause respiratory tract irritation.

Skin contact: Causes skin irritation.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed.

11.3 Delayed, immediate and chronic effects of short-term and long-term exposure
Short Term

Skin Corrosion/Irritation: Causes severe skin burns.

Serious Eye Damage/Irritation: Causes severe eye damage.

Respiratory Sensitization: Not available

Skin Sensitization: Not available

Specific Target Organ Toxicity-Single Exposure: None known

Aspiration Hazard: Not available

Long Term

Carcinogenicity: Not available

Germ Cell Mutagenicity: Not available

Reproductive Toxicity: Not available

Specific Target Organ Toxicity- Repeated Exposure: (Category 2) May cause respiratory irritation.

Synergistic/Antagonistic Effects: Not available.

SECTION XII – ECOLOGICAL INFORMATION
12.1 Ecotoxicity

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or un-neutralized



CEMENT & CONCRETE PRODUCTS™

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Other Adverse Effects

No further relevant information available.

SECTION XIII – DISPOSAL CONSIDERATIONS

13.1 Waste Disposal Method

This product cleans easily when wet; material dries hard and adheres strongly. Product may develop sharp edges when hardened. The packaging and material may be land filled; however, material should be covered to minimize generation of airborne dust. This product is not classified as a hazardous waste under the authority of the RCRA (40CFR 261) or CERCLA (40CFR 117&302). Disposal must be made in accordance with local, state and federal regulations.

13.2 Other disposal considerations

Uncleaned packaging

Recommendation: Disposal must be made in accordance with local, state and federal regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION XIV – TRANSPORT INFORMATION

	DOT (U.S.)	TDG (Canada)
UN-Number	Not Regulated	Not Regulated
UN proper shipping name	Not Regulated	Not Regulated
Transport Hazard Class(es)	Not Regulated	Not Regulated
Packing Group (if applicable)	Not Regulated	Not Regulated

14.1 Environmental hazards:

Not Available

14.2 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

Not available

14.3 Special precautions for user

SDS A10

QUIKRETE Companies, LLC

2/10/2023

**CEMENT & CONCRETE PRODUCTS™**

Do not handle until all safety precautions have been read and understood.

SECTION XV – OTHER REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislations specific for the chemical**Canada**

WHMIS Classification: Considered to be a hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations and subject to the requirements of Health Canada's Workplace Hazardous Material Information (WHMIS). This document complies with the WHMIS requirements of the Hazardous Products Act (HPA) and the CPR.

15.2 US Federal Information**SARA 302/311/312/313 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302, 311, 312 or 313.

RCRA: Not classified as a hazardous waste under the Resource Conservation and Recovery Act, or its regulations, 40 CFR §261 et seq.

CERCLA: Not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR §302.

Emergency Planning and Community Right to Know Act (SARA Title III): Not an extremely hazardous substance under Section 302 and is not a toxic chemical subject to the requirements of Section 313.

NTP: Not classified as Known to be a Human Carcinogen.

OSHA Carcinogen: Not listed.

15.3 State Right to Know Laws**California Prop. 65 Components**

This product does not contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

15.4 Global Inventories

DSL All components of this product are on the Canadian DSL list.

TSCA No.: Crystalline silica (quartz) appears on the EPA TSCA inventory under the CAS No. 14808-60-7. All constituents are listed in the TSCA inventory.

SECTION XVI – OTHER INFORMATION

Last Updated: February 10, 2023

SDS A10

QUIKRETE Companies, LLC

2/10/2023

